

IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

RectorSeal, LLC

2601 Spenwick Drive, Houston, TX 77055 United States

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;— Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules. the right to use the WaterMark in accordance with the Procedures for Certification of Plumbing and Drainage Products - WaterMark Technical Specification and the Plumbing Code of Australia only in respect of the certified product as described in the attached WaterMark Schedule. The Licence is granted subject to the rules governing the Watermark Certification Scheme and the Terms and Conditions for WaterMark Certification

Evaluated to:

WMTS014:2016

Jointing materials

Manufacturer:

Refer to Licence Holder

Licence No.: WM-032110

First Certified: 17 July 2020

Certification Date: 17 July 2020

Expiry Date: 16 July 2025

Chief Executive Officer of The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder: RectorSeal, LLC
Address: 2601 Spenwick Drive, Houston, TX 77055
 United States
A.B.N.:
Manufacturer: Refer to Licence Holder

Licence No: WM-032110
Certification Date: 17 July 2020
Expiry Date: 16 July 2025
First Certified: 17 July 2020
Standards: WMTS014:2016
Title: Jointing materials

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Max Operating Pressure	Max Operating Temperature	Material
RectorSeal	T Plus 2	23710	Thread Sealant	Non-hardening thread sealant - 50g tube	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23631	Thread Sealant	Non-hardening thread sealant - brush top can 118 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23633	Thread Sealant	Non-hardening thread sealant - brush top can 118 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23551	Thread Sealant	Non-hardening thread sealant - brush top can 237 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23431	Thread Sealant	Non-hardening thread sealant - brush top can 473 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23391	Thread Sealant	Non-hardening thread sealant - brush top can 946 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23271	Thread Sealant	Non-hardening thread sealant - friction top can 3.8 L	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23112	Thread Sealant	Non-hardening thread sealant - drum 208 L	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23556	Thread Sealant	Non-hardening thread sealant - pouch 100 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23557	Thread Sealant	Non-hardening thread sealant - pouch 250 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23001	Thread Sealant	Non-hardening thread sealant - can 118 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23002	Thread Sealant	Non-hardening thread sealant - can 136 ml	Potable water	70 MPa	177°C	PTFE enriched
RectorSeal	T Plus 2	23435	Thread Sealant	Non-hardening thread sealant - brush top can 237 ml	Potable water	70 MPa	177°C	PTFE enriched

A handwritten signature in black ink, appearing to read "Ron Chaney". The signature is written in a cursive style with a horizontal line extending from the end of the name.

Chief Executive Officer of The IAPMO Group