



<https://www.grip-rite.com>

[ABOUT](#)

[PRODUCTS](#)

[SERVICE](#)

[RESOURCES](#)

[CONTACT](#)



(#)

[PRODUCTS \(/PRODUCTS\)](#) > [FASTENERS OLD \(HTTPS://WWW.GRIP-RITE.COM/PRODUCTS/US-EN-PRODUCTS/FASTENERS-OLD/\)](https://www.grip-rite.com/products/us-en-products/fasteners-old/) >

[PRIMEGUARD MAX STAINLESS STEEL FASTENERS \(HTTPS://WWW.GRIP-RITE.COM/PRODUCTS/US-EN-PRODUCTS/FASTENERS-OLD/PRIMEGUARD-MAX-STAINLESS-STEEL-FASTENERS/\)](https://www.grip-rite.com/products/us-en-products/fasteners-old/primeguard-max-stainless-steel-fasteners/) >

[DECKING \(HTTPS://WWW.GRIP-RITE.COM/PRODUCTS/US-EN-PRODUCTS/FASTENERS-OLD/PRIMEGUARD-MAX-STAINLESS-STEEL-FASTENERS/DECKING/\)](https://www.grip-rite.com/products/us-en-products/fasteners-old/primeguard-max-stainless-steel-fasteners/decking/) > [EXTERIOR SCREWS](#)

## Exterior Screws

### COMMON APPLICATIONS:

For all exterior applications, including decks, docks, fences, gazebos and boardwalks

### FEATURES:

Countersinking bugle head seats flush, leaves smooth finish

Star drive for improved engagement and torque control

Square drive deep and cleanly formed, reducing spin-outs

Type 17 point for fast starts and minimized splitting

### SKU CHART (#)

| Size                | Drive     | Approx. Count/lb. | 1 lb. Tub 6/Master | 5 lb. Tub 4/Master | Bucket    | Pcs./ Bucket | Box       | Pcs./ Box |
|---------------------|-----------|-------------------|--------------------|--------------------|-----------|--------------|-----------|-----------|
| 305 Stainless Steel | -         | -                 | -                  | -                  | -         | -            | -         | -         |
| 1-1/4 in. x #6      | T-15 star | 243               | MAXS62941          | —                  | —         | —            | MAXS62516 | 5,000     |
| 1-5/8 in. x #6      | T-15 star | 195               | MAXS62942          | —                  | —         | —            | MAXS62525 | 4,000     |
| 1-1/4 in. x #8      | T-20 star | 185               | MAXS62943          | MAXS64452          | —         | —            | MAXS62518 | 5,000     |
| 1-5/8 in. x #8      | T-20 star | 150               | MAXS62689          | MAXS62690          | MAXS62527 | 4,000        | —         | —         |
| 2 in. x #8          | T-20 star | 128               | MAXS62695          | MAXS62696          | MAXS62547 | 3,000        | —         | —         |

|                     |           |     |           |           |           |       |           |       |
|---------------------|-----------|-----|-----------|-----------|-----------|-------|-----------|-------|
| 2-1/2 in. x #8      | T-20 star | 102 | MAXS62944 | —         | —         | —     | MAXS62542 | 2,000 |
| 3 in. x #8          | T-20 star | 82  | MAXS62945 | —         | —         | —     | MAXS62576 | 1,500 |
| 2-1/2 in. x #10     | T-25 star | 82  | MAXS62703 | MAXS62704 | MAXS62538 | 2,000 | —         | —     |
| 3 in. x #10         | T-25 star | 68  | MAXS62713 | MAXS62714 | MAXS62570 | 1,500 | —         | —     |
| 3-1/2 in. x #10     | T-25 star | 56  | MAXS62949 | MAXS62718 | —         | —     | MAXS62563 | 1,000 |
| 2-1/2 in. x #12     | T-27 star | 56  | -         | -         | -         | -     | -         | -     |
| 2-1/2 in. x #12     | T-27 star | 56  | MAXS62946 | MAXS62952 | —         | —     | MAXS62540 | 2,000 |
| 3 in. x #12         | T-27 star | 48  | MAXS62947 | MAXS62953 | —         | —     | MAXS62572 | 1,500 |
| 3-1/2 in. x #12     | T-27 star | 42  | MAXS62950 | MAXS62955 | —         | —     | MAXS62565 | 1,000 |
| 4 in. x #12         | T-27 star | 36  | MAXS65299 | MAXS62722 | —         | —     | MAXS62585 | 1,000 |
| 4-1/2 in. x #12     | T-27 star | 32  | —         | MAXS62958 | —         | —     | MAXS62583 | 800   |
| 5 in. x #12         | T-27 star | 29  | —         | MAXS62959 | —         | —     | MAXS62597 | 500   |
| 5-1/2 in. x #12     | T-27 star | 28  | —         | MAXS62961 | —         | —     | MAXS62595 | 500   |
| 6 in. x #12         | T-27 star | 24  | —         | MAXS62962 | —         | —     | MAXS62605 | 500   |
| 3 in. x #14         | T-30 star | 36  | MAXS62948 | MAXS62954 | —         | —     | MAXS62574 | 1,000 |
| 3-1/2 in. x #14     | T-30 star | 33  | MAXS62951 | MAXS62956 | —         | —     | MAXS62567 | 800   |
| 4 in. x #14         | T-30 star | 26  | —         | MAXS62957 | —         | —     | MAXS62587 | 700   |
| 5 in. x #14         | T-30 star | 21  | —         | MAXS62960 | —         | —     | MAXS62599 | 500   |
| 6 in. x #14         | T-30 star | 18  | —         | MAXS62963 | —         | —     | MAXS62607 | 500   |
| 316 Stainless Steel | -         | -   | -         | -         | -         | -     | -         | -     |
| 1-1/4 in. x #6      | T-15 star | 243 | —         | —         | —         | —     | MAXS62517 | 5,000 |
| 1-5/8 in. x #6      | T-15 star | 195 | —         | —         | —         | —     | MAXS62526 | 4,000 |
| 1-1/4 in. x #8      | T-20 star | 185 | MAXS63907 | MAXS64736 | —         | —     | MAXS62519 | 5,000 |
| 1-5/8 in. x #8      | T-20 star | 150 | MAXS62691 | MAXS62692 | MAXS62528 | 4,000 | —         | —     |
| 2 in. x #8          | T-20 star | 128 | MAXS62697 | MAXS62698 | MAXS62548 | 3,000 | —         | —     |
| 2-1/4 in. x #8      | T-20 star | 91  | —         | —         | —         | —     | MAXS62546 | 3,000 |
| 2-1/2 in. x #8      | T-20 star | 102 | MAXS62707 | MAXS62708 | —         | —     | MAXS62543 | 2,000 |
| 3 in. x #8          | T-20 star | 82  | —         | —         | —         | —     | MAXS62577 | 1,500 |
| 2-1/2 in. x #10     | T-25 star | 82  | MAXS62705 | MAXS62706 | MAXS62539 | 2,000 | —         | —     |
| 3 in. x #10         | T-25 star | 68  | MAXS62715 | MAXS62716 | MAXS62571 | 1,500 | —         | —     |
| 3-1/2 in. x #10     | T-25 star | 56  | MAXS62719 | MAXS62720 | —         | —     | MAXS62564 | 1,000 |
| 2-1/2 in. x #12     | T-27 star | 56  | —         | MAXS63175 | —         | —     | MAXS62541 | 2,000 |
| 3 in. x #12         | T-27 star | 48  | —         | MAXS63176 | —         | —     | MAXS62573 | 1,500 |

|                            |           |     |           |           |   |   |           |       |
|----------------------------|-----------|-----|-----------|-----------|---|---|-----------|-------|
| 3-1/2 in. x #12            | T-27 star | 42  | —         | MAXS63177 | — | — | MAXS62566 | 1,000 |
| 4 in. x #12                | T-27 star | 36  | MAXS62723 | MAXS62724 | — | — | MAXS62586 | 1,000 |
| 4-1/2 in. x #12            | T-27 star | 32  | —         | —         | — | — | MAXS62584 | 800   |
| 5 in. x #12                | T-27 star | 29  | MAXS62725 | MAXS62726 | — | — | MAXS62598 | 500   |
| 5-1/2 in. x #12            | T-27 star | 28  | —         | —         | — | — | MAXS62596 | 500   |
| 6 in. x #12                | T-27 star | 24  | —         | —         | — | — | MAXS62606 | 500   |
| 3 in. x #14                | T-30 star | 36  | —         | MAXS63178 | — | — | MAXS62575 | 1,000 |
| 3-1/2 in. x #14            | T-30 star | 33  | —         | MAXS63179 | — | — | MAXS62568 | 800   |
| 4 in. x #14                | T-30 star | 26  | —         | MAXS63180 | — | — | MAXS62588 | 700   |
| 5 in. x #14                | T-30 star | 21  | —         | —         | — | — | MAXS62600 | 500   |
| 6 in. x #14                | T-30 star | 18  | —         | —         | — | — | MAXS62608 | 500   |
| 302 (18–8) Stainless Steel | -         | -   | -         | -         | - | - | -         | -     |
| 1-1/4 in. x #8             | #2 square | 208 | —         | —         | — | — | MAXS65203 | 4,000 |
| 1-1/2 in. x #8             | #2 square | 160 | —         | —         | — | — | MAXS65204 | 4,000 |
| 1-5/8 in. x #8             | #2 square | 150 | —         | —         | — | — | MAXS65205 | 4,000 |
| 2 in. x #8                 | #2 square | 128 | —         | —         | — | — | MAXS65206 | 3,000 |
| 2-1/2 in. x #10            | #2 square | 82  | —         | —         | — | — | MAXS65209 | 2,000 |
| 3 in. x #10                | #2 square | 68  | —         | —         | — | — | MAXS65210 | 1,500 |
| 3-1/2 in. x #10            | #2 square | 56  | —         | —         | — | — | MAXS65211 | 1,000 |
| 4 in. x #10                | #2 square | 47  | —         | —         | — | — | MAXS65212 | 1,000 |

**Composite Deck Screws II**



[\(https://www.grip-rite.com/product/composite-deck-screws-ii/\)](https://www.grip-rite.com/product/composite-deck-screws-ii/)

**Joist Hanger Nails**



[\(https://www.grip-rite.com/product/joist-hanger-nails-2/\)](https://www.grip-rite.com/product/joist-hanger-nails-2/)

**33° Paper Tape Collat...**



[\(https://www.grip-rite.com/product/33-paper-tape-collated-joist-hanger-nails/\)](https://www.grip-rite.com/product/33-paper-tape-collated-joist-hanger-nails/)

**Cedar & Redwood Deck N...**



[\(https://www.grip-rite.com/product/cedar-redwood-deck-nails/\)](https://www.grip-rite.com/product/cedar-redwood-deck-nails/)

**Trim Screws**



[\(https://www.grip-rite.com/product/trim-screws/\)](https://www.grip-rite.com/product/trim-screws/)

**15° Wire Coil Collate...**



[\(https://www.grip-rite.com/product/15-wire-coil-collated-nails/\)](https://www.grip-rite.com/product/15-wire-coil-collated-nails/)

Stay Up To Date

Enter email address:

## SUBSCRIBE

**ABOUT (HTTPS://WWW.GRIP-RITE.COM/ABOUT-US/)**

**PRODUCTS** ([HTTPS://WWW.GRIP-RITE.COM/PRODUCTS/](https://www.grip-rite.com/products/))

**SERVICE** ([HTTPS://WWW.GRIP-RITE.COM/SERVICE/](https://www.grip-rite.com/service/))

**RESOURCES** ([HTTPS://WWW.GRIP-RITE.COM/RESOURCES-VIDEO/](https://www.grip-rite.com/resources-video/))

**CONTACT ([HTTPS://WWW.GRIP-RITE.COM/CONTACT-US/](https://www.grip-rite.com/contact-us/))**

**800-676-7777 (TEL:800-676-7777)**

**LEGAL ([HTTPS://WWW.GRIP-RITE.COM/LEGAL/](https://www.grip-rite.com/legal/))**

[PRIVACY POLICY \(HTTPS://WWW.GRIP-RITE.COM/PRIVACY-POLICY/\)](https://www.grip-rite.com/privacy-policy/)

**TERMS & CONDITIONS OF SALES (HTTPS://WWW.GRIP-RITE.COM/TERMS-CONDITIONS-OF-**

SALES/)

Grip-Rite(R) is a trademark of PrimeSource Building Products, Inc. Other product and company names listed may be trademarks of their respective owners.© 2020 - PrimeSource Building Products, Inc.



(http://www.palladium.com/  
lang=en)